



www.ipedeckbrazil.com

sales@ipedeckbrazil.com / sales@brasil-wood.com /

ipedeckbrazil@hotmail.com / brasil-wood@hotmail.com

Milled wood

SUB GRUP: Milled decking

Wood specie: SUCUPIRA

Bulk	Length	Thickness	Width	Pieces	M ³	Humidity	Decking	Wood specie	Quality
53688	900	19	100	1007	1,722	KD	S4S	SUCUPIRA	GRADE "A"
TOTAL Wood specie:				1007	1,722				

Wood specie: ANGELIM AMARGOSO

Bulk	Length	Thickness	Width	Pieces	M ³	Humidity	Decking	Wood specie	Quality
54860	600	19	100	720	0,821	KD	S4S	ANGELIM AMARGOSO	GRADE "A"
54860	750	19	100	448	0,638	KD	S4S	ANGELIM AMARGOSO	GRADE "A"
54860	900	19	100	425	0,727	KD	S4S	ANGELIM AMARGOSO	GRADE "A"
TOTAL Wood specie:				1593	2,186				

Wood specie: ANGELIM PEDRA

Bulk	Length	Thickness	Width	Pieces	M ³	Humidity	Decking	Wood specie	Quality
54859	450	19	100	528	0,451	KD	S4S	ANGELIM PEDRA	GRADE "A"
54859	600	19	100	350	0,399	KD	S4S	ANGELIM PEDRA	GRADE "A"
54859	750	19	100	140	0,200	KD	S4S	ANGELIM PEDRA	GRADE "A"
54859	900	19	100	675	1,154	KD	S4S	ANGELIM PEDRA	GRADE "A"
TOTAL Wood specie:				1693	2,204				

Wood specie: CUMARU

Bulk	Length	Thickness	Width	Pieces	M ³	Humidity	Decking	Wood specie	Quality
54042	600	19	100	1908	2,175	KD	S4S	CUMARU	GRADE "A"
54352	600	19	100	1908	2,175	KD	S4S	CUMARU	GRADE "A"
54850	600	19	100	1908	2,175	KD	S4S	CUMARU	GRADE "A"
56806	600	19	100	1908	2,175	KD	S4S	CUMARU	GRADE "A"
54350	750	19	100	1484	2,115	KD	S4S	CUMARU	GRADE "A"
54852	750	19	100	1484	2,115	KD	S4S	CUMARU	GRADE "A"
54357	900	19	100	1325	2,266	KD	S4S	CUMARU	GRADE "A"
54699	900	19	100	1325	2,266	KD	S4S	CUMARU	GRADE "A"
54713	900	19	100	1325	2,266	KD	S4S	CUMARU	GRADE "A"
54853	900	19	100	1325	2,266	KD	S4S	CUMARU	GRADE "A"

56807	900	19	100	1325	2,266	KD	S4S	CUMARU	GRADE "A"
-------	-----	----	-----	------	-------	----	-----	--------	-----------

TOTAL Wood specie: 17225 24,260

Wood specie: CUMARU ROSA

Bulk	Length	Thickness	Width	Pieces	M³	Humidity	Decking	Wood specie	Quality
40365	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
42156	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
44877	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
51894	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
52272	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
52523	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
52529	600	19	100	1908	2,175	KD	S4S	CUMARU ROSA	GRADE "A"
53271	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
53272	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
53645	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
53646	600	19	100	1908	2,175	KD	S4S	CUMARU ROSA	GRADE "A"
53648	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
53650	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
53651	600	19	100	1908	2,175	KD	S4S	CUMARU ROSA	GRADE "A"
53655	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
54037	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
54045	600	19	100	1908	2,175	KD	S4S	CUMARU ROSA	GRADE "A"
54354	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
54676	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
54678	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
54679	600	19	100	1908	2,175	KD	S4S	CUMARU ROSA	GRADE "A"
54693	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"
54715	750	19	100	1484	2,115	KD	S4S	CUMARU ROSA	GRADE "A"
54716	600	19	100	1908	2,175	KD	S4S	CUMARU ROSA	GRADE "A"
56800	900	19	100	1325	2,266	KD	S4S	CUMARU ROSA	GRADE "A"

TOTAL Wood specie: 37736 55,047

Wood specie: GARAPEIRA

Bulk	Length	Thickness	Width	Pieces	M³	Humidity	Decking	Wood specie	Quality
52323	900	19	100	1325	2,266	KD	S4S	GARAPEIRA	GRADE "A"
52538	900	19	100	1325	2,266	KD	S4S	GARAPEIRA	GRADE "A"
52541	600	19	100	1908	2,175	KD	S4S	GARAPEIRA	GRADE "A"
52552	750	19	100	1316	1,875	KD	S4S	GARAPEIRA	GRADE "A"

52552	900	19	100	150	0,256	KD	S4S	GARAPEIRA	GRADE "A"
54727	900	19	100	1325	2,266	KD	S4S	GARAPEIRA	GRADE "A"
54870	450	19	100	2544	2,175	KD	S4S	GARAPEIRA	GRADE "A"

TOTAL Wood specie: 9893 13,279

Wood specie: JATOBA

Bulk	Length	Thickness	Width	Pieces	M³	Humidity	Decking	Wood specie	Quality
41230	200	19	100	5459	2,074	KD	S4S	JATOBA	GRADE "A"
50700	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
51040	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
51047	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
51048	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
51049	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
51050	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
51166	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
51438	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
51440	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
51445	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
51532	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52028	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52029	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52030	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
52031	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52035	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52036	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52037	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52038	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
52039	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52040	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52041	450	19	100	2544	2,175	KD	S4S	JATOBA	GRADE "A"
52043	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52045	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
52046	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52048	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52049	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52050	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52051	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52055	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"

52056	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
52057	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52058	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52059	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52060	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52061	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52063	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52066	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52067	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52077	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52083	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52095	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52096	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52098	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52099	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52101	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
52102	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52103	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52104	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52105	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52235	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
52439	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
52467	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53521	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53528	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53536	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53539	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53550	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53560	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53565	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
53589	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
54081	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
54088	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
54125	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
54637	450	19	100	2544	2,175	KD	S4S	JATOBA	GRADE "A"
54638	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
54767	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"

54768	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
56080	900	19	100	1325	2,266	KD	S4S	JATOBA	GRADE "A"
56081	600	19	100	1908	2,175	KD	S4S	JATOBA	GRADE "A"
56083	750	19	100	1484	2,115	KD	S4S	JATOBA	GRADE "A"
56084	300	19	100	3657	2,084	KD	S4S	JATOBA	GRADE "A"

Wood specie: MACARANDUBA

TOTAL Wood specie:	123066	161,257
---------------------------	---------------	----------------

Bulk	Length	Thickness	Width	Pieces	M ³	Humidity	Decking	Wood specie	Quality
40659	600	19	100	1908	2,175	KD	S4S	MACARANDUBA	GRADE "A"
44741	600	19	100	1908	2,175	KD	S4S	MACARANDUBA	GRADE "A"
44742	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
44743	750	19	100	1484	2,115	KD	S4S	MACARANDUBA	GRADE "A"
44745	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
44805	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
44806	750	19	100	1484	2,115	KD	S4S	MACARANDUBA	GRADE "A"
44808	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
45408	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
45414	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
45415	750	19	100	1484	2,115	KD	S4S	MACARANDUBA	GRADE "A"
45433	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
46457	750	19	100	1484	2,115	KD	S4S	MACARANDUBA	GRADE "A"
46458	600	19	100	1908	2,175	KD	S4S	MACARANDUBA	GRADE "A"
46461	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
46462	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
47946	600	19	100	1908	2,175	KD	S4S	MACARANDUBA	GRADE "A"
47947	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
49873	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
50752	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
50753	900	19	100	1325	2,266	KD	S4S	MACARANDUBA	GRADE "A"
52070	600	19	100	144	0,164	KD	S4S	MACARANDUBA	GRADE "A"
52070	900	19	100	1225	2,095	KD	S4S	MACARANDUBA	GRADE "A"
52072	600	19	100	108	0,123	KD	S4S	MACARANDUBA	GRADE "A"
52072	750	19	100	1400	1,995	KD	S4S	MACARANDUBA	GRADE "A"
52075	600	19	100	648	0,739	KD	S4S	MACARANDUBA	GRADE "A"
52075	750	19	100	980	1,396	KD	S4S	MACARANDUBA	GRADE "A"
54724	600	19	100	324	0,369	KD	S4S	MACARANDUBA	GRADE "A"
54724	750	19	100	308	0,439	KD	S4S	MACARANDUBA	GRADE "A"

54724	900	19	100	825	1,411	KD	S4S	MACARANDUBA	GRADE "A"
-------	-----	----	-----	-----	-------	----	-----	-------------	-----------

TOTAL Wood specie: 36755 55,349

Wood specie: MUIRACATIARA

Bulk	Length	Thickness	Width	Pieces	M³	Humidity	Decking	Wood specie	Quality
50478	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
50695	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
50702	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
50875	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
51132	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
51168	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
51442	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
51457	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
52032	600	19	100	1325	1,510	KD	S4S	MUIRACATIARA	GRADE "A"
52054	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
52219	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
52460	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
53543	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
53569	600	19	100	1908	2,175	KD	S4S	MUIRACATIARA	GRADE "A"
50472	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
50699	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
50708	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
51167	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
51443	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
52052	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
53542	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
53578	750	19	100	1484	2,115	KD	S4S	MUIRACATIARA	GRADE "A"
51051	900	19	100	1325	2,266	KD	S4S	MUIRACATIARA	GRADE "A"
52082	900	19	100	1325	2,266	KD	S4S	MUIRACATIARA	GRADE "A"
53524	900	19	100	1325	2,266	KD	S4S	MUIRACATIARA	GRADE "A"
53548	900	19	100	1325	2,266	KD	S4S	MUIRACATIARA	GRADE "A"

TOTAL Wood specie: 43301 55,769

Wood specie: SUCUPIRA

Bulk	Length	Thickness	Width	Pieces	M³	Humidity	Decking	Wood specie	Quality
50933	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
50935	750	19	100	1484	2,115	KD	S4S	SUCUPIRA	GRADE "A"
50937	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"

50938	600	19	100	1908	2,175	KD	S4S	SUCUPIRA	GRADE "A"
50940	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
52407	600	19	100	1908	2,175	KD	S4S	SUCUPIRA	GRADE "A"
52408	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
52547	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
52548	750	19	100	1484	2,115	KD	S4S	SUCUPIRA	GRADE "A"
54070	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
54072	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
54073	750	19	100	1484	2,115	KD	S4S	SUCUPIRA	GRADE "A"
54074	900	19	100	1325	2,266	KD	S4S	SUCUPIRA	GRADE "A"
54075	600	19	100	1620	1,847	KD	S4S	SUCUPIRA	GRADE "A"
54075	900	19	100	200	0,342	KD	S4S	SUCUPIRA	GRADE "A"
54728	600	19	100	105	0,120	KD	S4S	SUCUPIRA	GRADE "A"
54728	750	19	100	280	0,399	KD	S4S	SUCUPIRA	GRADE "A"
54728	900	19	100	1000	1,710	KD	S4S	SUCUPIRA	GRADE "A"

TOTAL Wood specie: 22073 33,241

Wood specie: TAMARINDO

Bulk	Length	Thickness	Width	Pieces	M ³	Humidity	Decking	Wood specie	Quality
46064	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
46065	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
50915	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
50918	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
51459	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
51460	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
52062	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
52213	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
52237	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
52238	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
52245	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
52436	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
52457	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
52461	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
52469	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
53525	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
53544	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
53546	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
53566	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"

53570	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
53585	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
53598	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
53599	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
53602	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
53980	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54085	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
54086	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54092	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
54124	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54128	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
54300	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54310	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54311	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
54326	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
54329	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54330	600	19	100	1908	2,175	KD	S4S	TAMARINDO	GRADE "A"
54635	900	19	100	1325	2,266	KD	S4S	TAMARINDO	GRADE "A"
54641	750	19	100	1484	2,115	KD	S4S	TAMARINDO	GRADE "A"
54734	600	19	100	1836	2,093	KD	S4S	TAMARINDO	GRADE "A"
54734	750	19	100	28	0,040	KD	S4S	TAMARINDO	GRADE "A"
54735	750	19	100	56	0,080	KD	S4S	TAMARINDO	GRADE "A"
54735	900	19	100	1250	2,138	KD	S4S	TAMARINDO	GRADE "A"

TOTAL Wood specie: 60781 88,190

Wood specie: TAUARI

Bulk	Length	Thickness	Width	Pieces	M³	Humidity	Decking	Wood specie	Quality
54855	600	19	100	1368	1,560	KD	S4S	TAUARI	GRADE "A"
54855	750	19	100	140	0,200	KD	S4S	TAUARI	GRADE "A"
54855	900	19	100	250	0,428	KD	S4S	TAUARI	GRADE "A"

TOTAL Wood specie: 1758 2,188

TOTAL SUB GRUPO: 356881 494,692

TOTAL GRUPO: 356881 494,692

TOTAL TIPO: 356881 494,692

TOTAL GERAL: 356881 494,692